CE

13

2412 - CPR - 802

Oy Primapoli Ltd Kitulanmäentie 42 FI-63640 RITOLA

DoP no 802-1/2013

ETA-13/0767

Log Building kit

Intended use Log house

Declaration of Performance (DoP) on homepages www.polarlifehaus.com

Declaration of Performance (Dop = Declaration of Performance)

Dop No: Honkatalot, Polar Life Haus 802-1/2013

- 1. **Type of construction product:** Log building kit in accordance with European Technical Approval ETA-13/0767.
- 2. Marking of the construction product: ETA 13/0767 Honkatalot / Polar Life Haus
- 3. **Intended use as foreseen by the manufacturer:** Building kit is suitable for various climatic conditions, which are taken into account when the construction product is designed.
- 4. **Name of the manufacturer:** Oy Primapoli Ltd, Kitulanmäentie 42, FI-63640 RITOLA Finland, tel. +358 201 758 400 home page <u>www.honkatalot.fi</u>, <u>www.polarlifehaus.com</u>
- 5. Assesment and Verification of Constancy of Performance of the construction product: AVCP class 1
- 6. Concerning the declaration of performance of construction products with a harmonised standard: TAB VTT Expert Services Oy has issued the European Technical Approval ETA-13/0767 based on Guidelines for European Technical Approval ETAG 007 Timber Frame Building kits and 012 Log Building Kits. Notified Body (NB) Finotrol Oy, Teollisuuskatu 3-5, 50100 MIKKELI, no. 2412 has conducted the third-party verification in accordance with AVCP system 1 and provided for the verification certificate of declaration of performance no. 2412-CPR-802.

Essential characteristics	Performance	Harmonised technical specification
Mechanical strength and stability		
Fire safety - fire resistance - reaction to fire - external fire performance of roof		
 Hygiene, health and environment water vapour permeability and humidity resistance watertightness release of dangerous substances 		
Product safety - slip resistance of flooring - impact resistance - fall prevention	ETA-13/0767 (18.6.2013)	ETA-13/0767 (18.6.2013)
Sound insulation		
Energy efficience - thermal resistance - airtightness - thermal mass Long-term durability		
Serviceability limit state (floor and roof)		
Unique identification of the product		

7. Declared performance levels

8. The performance of the product identified in 1 and 2 is in conformity with the declared performance in 7. The declaration of performance is issued under the sole responsibility od the manufacturer identified in 4.

Signed for and on behalf of the manufacturer:

for-

Harri Vainionpää, CEO

Ritola, 5.7.2013